



Available at

www.ElsevierMathematics.com

POWERED BY SCIENCE @ DIRECT®

Discrete Mathematics 280 (2004) 285–297

DISCRETE
MATHEMATICS

www.elsevier.com/locate/disc

Master index to volumes 271–280

Abel, R.J.R., I. Bluskov and M. Greig, Balanced incomplete block designs with block size 9: part II	279 (2004)	5– 32
Adams, P., D. Bryant and B. Maenhaut, Common multiples of complete graphs and a 4-cycle	275 (2004)	289–297
Ahlsweide, R., H. Aydinian and L.H. Khachatrian, Extremal problems under dimension constraints	273 (2003)	9– 21
Ahlsweide, R., H. Aydinian and L.H. Khachatrian, Maximal antichains under dimension constraints	273 (2003)	23– 29
Alon, N., Problems and results in extremal combinatorics—I	273 (2003)	31– 53
Ananchuen, N. and M.D. Plummer, Matching properties in domination critical graphs	277 (2004)	1– 13
Ananchuen, N. and M.D. Plummer, Some results related to the toughness of 3-domination critical graphs	272 (2003)	5– 15
Anderson, I. and D.A. Preece, Narcissistic half-and-half power-sequence terraces for \mathbb{Z}_n with $n = pq^l$	279 (2004)	33– 60
Ando, K., A. Kaneko and K. Kawarabayashi, Vertices of degree 6 in a contraction critically 6-connected graph	273 (2003)	55– 69
Appa, G. and B. Kotnyek, Rational and integral k -regular matrices	275 (2004)	1– 15
Aydinian, H., see R. Ahlsweide	273 (2003)	9– 21
Aydinian, H., see R. Ahlsweide	273 (2003)	23– 29
Bachoc, C., E. Bannai and R. Coulangenon, Codes and designs in Grassmannian spaces	277 (2004)	15– 28
Bakoev, V.P., Algorithmic approach to counting of certain types m -ary partitions	275 (2004)	17– 41
Bang-Jensen, J. and T. Jordán, Splitting off edges between two subsets preserving the edge-connectivity of the graph	276 (2004)	5– 28
Bannai, E., see C. Bachoc	277 (2004)	15– 28
Bazgan, C., A note on the approximability of the toughness of graphs	280 (2004)	215–218
Beineke, L.W. and R.E. Pippert, Multidimensional bipartite trees	272 (2003)	17– 26
Bennett, F.E., C.J. Colbourn, R. Wei and J. Yin, Preface	279 (2004)	1– 2
Bennett, F.E., Y. Chang, G. Ge and M. Greig, Existence of $(v, \{5, w^*\}, 1)$ -PBDs	279 (2004)	61–105
Berg, A.R., B. Jackson and T. Jordán, Edge splitting and connectivity augmentation in directed hypergraphs	273 (2003)	71– 84
Betsumiya, K., S. Ling and F.R. Nemenzo, Type II codes over $\mathbb{F}_{2^m} + u\mathbb{F}_{2^m}$	275 (2004)	43– 65
Bhattacharya, A., On a conjecture of Manickam and Singhi	272 (2003)	259–261
Bielak, H., Local Ramsey numbers for copies of cycles	276 (2004)	29– 42
Bluskov, I., see R.J.R. Abel	279 (2004)	5– 32
Boben, M., see T. Pisanski	275 (2004)	265–276
Bode, J.-P. and H. Harborth, Independence for knights on hexagon and triangle boards	272 (2003)	27– 35
Bonichon, N., B. Le Saëc and M. Mosbah, Orthogonal drawings based on the stratification of planar graphs	276 (2004)	43– 57

- Boros, E., V. Gurvich and R. Meshulam, Difference graphs 276 (2004) 59–64
- Bouchitté, V., F. Mazoit and I. Todinca, Chordal embeddings of planar graphs 273 (2003) 85–102
- Boussaïri, A., P. Ille, G. Lopez and S. Thomassé, The C_3 -structure of the tournaments 277 (2004) 29–43
- Breda d'Azevedo, A., see S. Wilson 277 (2004) 241–274
- Brešar, B. and B. Zmazek, On the independence graph of a graph 272 (2003) 263–268
- Brigham, R.C., J.R. Carrington and R.P. Vitray, Extremal connected graphs for independent domination number 275 (2004) 299–309
- Brigham, R.C., see R.D. Dutton 272 (2003) 47–51
- Bryant, D., see P. Adams 275 (2004) 289–297
- Buckley, F., see H.B. Walikar 272 (2003) 119–126
- Buratti, M. and A. del Fra, Cyclic Hamiltonian cycle systems of the complete graph 279 (2004) 107–119
- Čada, R., E. Flandrin, H. Li and Z. Ryjáček, Cycles through given vertices and closures 276 (2004) 65–80
- Cameron, K., Induced matchings in intersection graphs 278 (2004) 1–9
- Cameron, P.J., Random strongly regular graphs? 273 (2003) 103–114
- Cao, H. and Y. Tang, On Kirkman packing designs $KPD(\{3, 4\}, v)$ 279 (2004) 121–133
- Cao, Z., see K. Chen 279 (2004) 153–161
- Caporossi, G. and P. Hansen, Variable neighborhood search for extremal graphs. 5. Three ways to automate finding conjectures 276 (2004) 81–94
- Carrington, J.R., see R.C. Brigham 275 (2004) 299–309
- Chang, G.J., see M. Chen 275 (2004) 87–96
- Chang, Y. and G. Lo Faro, The existence of directed BIBDs 272 (2003) 155–169
- Chang, Y. and J. Yin, Further results on optimal optical orthogonal codes with weight 4 279 (2004) 135–151
- Chang, Y., see F.E. Bennett 279 (2004) 61–105
- Chang, Y., see Y. Xu 279 (2004) 479–498
- Charalambides, Ch.A., Non-central generalized q -factorial coefficients and q -Stirling numbers 275 (2004) 67–85
- Charon, I., I. Honkala, O. Hudry and A. Lobstein, The minimum density of an identifying code in the king lattice 276 (2004) 95–109
- Chartrand, G., L. Nebeský and P. Zhang, Greedy F -colorings of graphs 272 (2003) 37–46
- Chartrand, G., T.W. Haynes, M.A. Henning and P. Zhang, Stratification and domination in graphs 272 (2003) 171–185
- Chellali, M. and L. Volkmann, Relations between the lower domination parameters and the chromatic number of a graph 274 (2004) 1–8
- Chen, K., Z. Cao and D. Wu, Existence of $APAV(q, k)$ with q a prime power $\equiv 5 \pmod{8}$ and $k \equiv 1 \pmod{4}$ 279 (2004) 153–161
- Chen, M., G.J. Chang and D.B. West, Interval numbers of powers of block graphs 275 (2004) 87–96
- Chen, P., see G. Ding 280 (2004) 1–12
- Chen, Y., F. Tian and B. Wei, Hamilton-connectivity of 3-domination-critical graphs with $\alpha \leq \delta$ 271 (2003) 1–12
- Chu, W. and C.J. Colbourn, Optimal $(n, 4, 2)$ -OOC of small orders 279 (2004) 163–172
- Cockayne, E.J., O. Favaron and C.M. Mynhardt, On i -ER-critical graphs 276 (2004) 111–125
- Cockayne, E.J., P.A. Dreyer Jr., S.M. Hedetniemi and S.T. Hedetniemi, Roman domination in graphs 278 (2004) 11–22
- Coker, C., Enumerating a class of lattice paths 271 (2003) 13–28
- Colbourn, C.J., see F.E. Bennett 279 (2004) 1–2
- Colbourn, C.J., see W. Chu 279 (2004) 163–172
- Conforti, M., G. Rinaldi and L. Wolsey, On the cut polyhedron 277 (2004) 279–285
- Cooper, S. and M.D. Hirschhorn, Results of Hurwitz type for three squares 274 (2004) 9–24
- Coulangeon, R., see C. Bachoc 277 (2004) 15–28
- Courcelle, B., Clique-width of countable graphs: a compactness property 276 (2004) 127–148

- Daskalov, R., P. Hristov and E. Metodiev, New minimum distance bounds for linear codes over GF(5) 275 (2004) 97-110
- de Graaf, M., Directed triangles in directed graphs 280 (2004) 219-223
- Del Fra, A., see M. Buratti 279 (2004) 107-119
- Delorme, C., Laplacian eigenvalues and fixed size multisection 276 (2004) 149-159
- Delorme, C., S. Gonzalez, O. Ordaz and M.T. Varela, Barycentric sequences and barycentric Ramsey numbers stars 277 (2004) 45- 56
- Deng, D., see H. Shen 279 (2004) 437-462
- Deutsch, E., Enumerating symmetric directed convex polyominoes 280 (2004) 225-231
- DeVos, M., J. Nešetřil and A. Raspaud, Antisymmetric flows and edge-connectivity 276 (2004) 161-167
- Ding, G. and P. Chen, Unavoidable doubly connected large graphs 280 (2004) 1- 12
- Dobrynin, V., On the rank of a matrix associated with a graph 276 (2004) 169-175
- Dobson, E. and M. Šajna, Almost self-complementary circulant graphs 278 (2004) 23- 44
- Dong, F.M., K.M. Koh and C.A. Soh, Divisibility of certain coefficients of the chromatic polynomials 275 (2004) 311-317
- Dreyer Jr., P.A., see E.J. Cockayne 278 (2004) 11- 22
- Du, B., Existence of optimal strong partially balanced designs with block size five 279 (2004) 173-190
- Dutton, R.D., R.C. Brigham and C. Gui, Edge-recognizable domination numbers 272 (2003) 47- 51
- Edwards, K., Edge decomposition of complete tripartite graphs 272 (2003) 269-275
- Ehrenfeucht, A., T. Harju and G. Rozenberg, Transitivity of local complementation and switching on graphs 278 (2004) 45- 60
- Enomoto, H. and H. Li, Partition of a graph into cycles and degenerated cycles 276 (2004) 177-181
- Erdős, P., S.T. Hedetniemi, R.C. Laskar and G.C.E. Prins, On the equality of the partial Grundy and upper chromatic numbers of graphs 272 (2003) 53- 64
- Eroh, L. and O.R. Oellermann, Bipartite rainbow Ramsey numbers 277 (2004) 57- 72
- Euler, R., Coloring planar Toeplitz graphs and the stable set polytope 276 (2004) 183-200
- Fang, K.-T., G. Ge, M.-Q. Liu and H. Qin, Combinatorial constructions for optimal supersaturated designs 279 (2004) 191-202
- Fang, K.-T., X. Lu, Y. Tang and J. Yin, Constructions of uniform designs by using resolvable packings and coverings 274 (2004) 25- 40
- Favaron, O., see E.J. Cockayne 276 (2004) 111-125
- Feng, H. and Z. Zhang, Combinatorial proofs of identities of Calkin and Hirschhorn 277 (2004) 287-294
- Feng, R. and J.H. Kwak, Typical circulant double coverings of a circulant graph 277 (2004) 73- 85
- Ferrari, L., E. Pergola, R. Pinzani and S. Rinaldi, Jumping succession rules and their generating functions 271 (2003) 29- 50
- Finbow, A.S. and B.L. Hartnell, Well-located graphs: a collection of well-covered ones 276 (2004) 201-209
- Finizio, N.J., One frame and several new infinite families of Z-cyclic whist designs 279 (2004) 203-213
- Finizio, N.J. and B.J. Travers, Z-cyclic generalized whist frames and Z-cyclic generalized whist tournaments 279 (2004) 215-223
- Fiorini, S. and P.C. Fishburn, Weak order polytopes 275 (2004) 111-127
- Fishburn, P.C., see S. Fiorini 275 (2004) 111-127
- Flandrin, E., see R. Čada 276 (2004) 65- 80
- Flondor, P. and I. Leuştean, MV-algebras with operators (the commutative and the non-commutative case) 274 (2004) 41- 76
- Fouquet, J.L. and I. Rusu, Preface 276 (2004) 11- 2

- Fujishige, S., K. Makino, T. Takabatake and K. Kashiwabara, Polybasic polyhedra: structure of polyhedra with edge vectors of support size at most 2 280 (2004) 13–27
- Galeana-Sánchez, H. and R. Rojas-Monroy, Kernels in pretransitive digraphs 275 (2004) 129–136
- Gao, W.D., On zero-sum subsequences of restricted size II 271 (2003) 51–59
- Gavoille, C. and C. Paul, Distance labeling scheme and split decomposition 273 (2003) 115–130
- Ge, G., Mandatory representation designs $\text{MRD}(\{4, k\}; v)$ with $k \equiv 1 \pmod 3$ 275 (2004) 319–329
- Ge, G. and A.C.H. Ling, A survey on resolvable group divisible designs with block size four 279 (2004) 225–245
- Ge, G. and R. Rees, On group-divisible designs with block size four and group-type 6^m 279 (2004) 247–265
- Ge, G. and R. Wei, HGDDs with block size four 279 (2004) 267–276
- Ge, G., J. Wang and R. Wei, MGDD with block size 4 and its application to sampling designs 272 (2003) 277–283
- Ge, G., see F.E. Bennett 279 (2004) 61–105
- Ge, G., see K.-T. Fang 279 (2004) 191–202
- Gilles, R.P., see R. van den Brink 271 (2003) 261–270
- Gimbel, J. and C. Hartman, Subcolorings and the subchromatic number of a graph 272 (2003) 139–154
- Gionfriddo, L., Voloshin's colourings of P_3 -designs 275 (2004) 137–149
- Godbole, A.P., see A. Wierman 275 (2004) 367–373
- Goddard, W., M.E. Raines and P.J. Slater, Distance and connectivity measures in permutation graphs 271 (2003) 61–70
- Gonçalves, A. and E.L. Monte Carmelo, Some geometric structures and bounds for Ramsey numbers 280 (2004) 29–38
- Gonzalez, S., see C. Delorme 277 (2004) 45–56
- Govaert, E. and H. Van Maldeghem, Forgetful polygons as generalizations of semi-affine planes 271 (2003) 71–100
- Graovac, A., see T. Pisanski 275 (2004) 265–276
- Gravier, S. and F. Maffray, On the choice number of claw-free perfect graphs 276 (2004) 211–218
- Gravier, S., C.T. Hoàng and F. Maffray, Coloring the hypergraph of maximal cliques of a graph with no long path 272 (2003) 285–290
- Gravier, S., J. Janssen, K. Kilakos and S. Klein, Graph covers using t -colourable vertex sets 278 (2004) 61–80
- Greig, M., S.P. Hurd and D.G. Sarvate, General constructions of c -Bhaskar Rao designs and the (c, λ) spectrum of a c -BRD(v, k, λ) 274 (2004) 77–92
- Greig, M., see F.E. Bennett 279 (2004) 61–105
- Greig, M., see R.J.R. Abel 279 (2004) 5–32
- Gropp, H., "Réseaux réguliers" or regular graphs—Georges Brunel as a French pioneer in graph theory 276 (2004) 219–227
- Gryniewicz, D.J., On some Rado numbers for generalized arithmetic progressions 280 (2004) 39–50
- Guénoche, A., B. Leclerc and V. Makarenkov, On the extension of a partial metric to a tree metric 276 (2004) 229–248
- Guenver, G.-B. and J.-X. Rampon, Split orders 276 (2004) 249–267
- Gui, C., see R.D. Dutton 272 (2003) 47–51
- Guo, X. and F. Zhang, Reducible chains of planar 1-cycle resonant graphs 275 (2004) 151–164
- Gupta, S.K., P. Mangal and V. Paliwal, Some work towards the proof of the reconstruction conjecture 272 (2003) 291–296
- Gurvich, V., see E. Boros 276 (2004) 59–64
- Győri, E., V. Nikiforov and R.H. Schelp, Nearly bipartite graphs 272 (2003) 187–196
- Haglund, J. and J.B. Remmel, Cycles and perfect matchings 274 (2004) 93–108
- Hansen, P., see G. Caporossi 276 (2004) 81–94

Harborth, H., see J.-P. Bode	272 (2003)	27– 35
Harju, T., see A. Ehrenfeucht	278 (2004)	45– 60
Hartman, C., see J. Gimbel	272 (2003)	139–154
Hartnell, B.L., see A.S. Finbow	276 (2004)	201–209
Haynes, T.W. and M.A. Henning, Changing and unchanging domination: a classification	272 (2003)	65– 79
Haynes, T.W., see G. Chartrand	272 (2003)	171–185
Healy, P., A. Kuusik and S. Leipert, A characterization of level planar graphs	280 (2004)	51– 63
Hedetniemi, S.M., S.T. Hedetniemi, A.A. McRae, D. Parks and J.A. Telle, Iterated colorings of graphs	278 (2004)	81–108
Hedetniemi, S.M., see E.J. Cockayne	278 (2004)	11– 22
Hedetniemi, S.T., see E.J. Cockayne	278 (2004)	11– 22
Hedetniemi, S.T., see P. Erdős	272 (2003)	53– 64
Hedetniemi, S.T., see S.M. Hedetniemi	278 (2004)	81–108
Hellese, T. and V. Zinoviev, On a new identity for Kloosterman sums and nonlinear system of equations over finite fields of characteristic 2	274 (2004)	109–124
Henning, M.A., Defending the Roman Empire from multiple attacks	271 (2003)	101–115
Henning, M.A., Signed total domination in graphs	278 (2004)	109–125
Henning, M.A. and O.R. Oellermann, On upper domination Ramsey numbers for graphs	274 (2004)	125–135
Henning, M.A., see G. Chartrand	272 (2003)	171–185
Henning, M.A., see T.W. Haynes	272 (2003)	65– 79
Hirschhorn, M.D., see S. Cooper	274 (2004)	9– 24
Hoàng, C.T., see S. Gravier	272 (2003)	285–290
Hoffmann, A. and L. Volkmann, On unique k -factors and unique $[1, k]$ -factors in graphs	278 (2004)	127–138
Hollmann, H.D.L. and Q. Xiang, Kloosterman sum identities over F_{2^m}	279 (2004)	277–286
Hong, Y., Tree-width, clique-minors, and eigenvalues	274 (2004)	281–287
Honkala, I., see I. Charon	276 (2004)	95–109
Hristov, P., see R. Daskalov	275 (2004)	97–110
Hsiang, J., D.F. Hsu and Y.-P. Shieh, On the hardness of counting problems of complete mappings	277 (2004)	87–100
Hsu, D.F., see J. Hsiang	277 (2004)	87–100
Hu, L. and D. Pei, Generator polynomials of characteristic ideal of maximal periodic arrays over Galois rings	278 (2004)	139–149
Huang, Y., Maximum genus and chromatic number of graphs	271 (2003)	117–127
Huber, K.T., Recovering trees from well-separated multi-state characters	278 (2004)	151–164
Hudry, O., see I. Charon	276 (2004)	95–109
Hurd, S.P., see M. Greig	274 (2004)	77– 92
Hwang, K.-W., see J.-M. Oh	278 (2004)	195–207
Ibaraki, T., see S. Suzuki	273 (2003)	211–220
Ille, P., see A. Boussaïri	277 (2004)	29– 43
Itagi, M.K., see H.B. Walikar	272 (2003)	119–126
Jablonski, M., see A. Wierman	275 (2004)	367–373
Jackson, B., see A.R. Berg	273 (2003)	71– 84
Jamison, R.E. and P.D. Johnson Jr., The structure of (t, r) -regular graphs of large order	272 (2003)	297–300
Jamison, R.E., F.R. McMorris and H.M. Mulder, Graphs with only caterpillars as spanning trees	272 (2003)	81– 95
Janssen, J., see S. Gravier	278 (2004)	61– 80
Jenča, G., Finite homogeneous and lattice ordered effect algebras	272 (2003)	197–214
Jiang, T. and D.B. West, Edge-colorings of complete graphs that avoid polychromatic trees	274 (2004)	137–145

- Jimbo, M., see M. Müller 279 (2004) 369–381
 Johnson Jr., P.D., see R.E. Jamison 272 (2003) 297–300
 Jordán, T., see A.R. Berg 273 (2003) 71–84
 Jordán, T., see J. Bang-Jensen 276 (2004) 5–28
- Kabadi, S. and A.P. Punnen, Weighted graphs with all Hamiltonian cycles of the same length 271 (2003) 129–139
 Kabanov, V. and I. Vakula, The lower domination parameters in inflation of graphs of radius 1 276 (2004) 269–272
 Kaneko, A., see K. Ando 273 (2003) 55–69
 Kang, L., H.K. Kim and M.Y. Sohn, Minus domination number in k -partite graphs 277 (2004) 295–300
 Kang, L., see E. Shan 280 (2004) 265–269
 Kang, Q., Y. Zhang and H. Zuo, Packings and coverings of λK_r by k -circuits with one chord 279 (2004) 287–315
 Kashiwabara, K., see S. Fujishige 280 (2004) 13–27
 Kaski, P. and P.R.J. Östergård, Miscellaneous classification results for 2-designs 280 (2004) 65–75
 Kawarabayashi, K., see K. Ando 273 (2003) 55–69
 Kelmans, A., On graph closures 271 (2003) 141–168
 Khachatryan, L.H., see R. Ahlswede 273 (2003) 9–21
 Khachatryan, L.H., see R. Ahlswede 273 (2003) 23–29
 Khamis, S.M., Height counting of unlabeled interval and N -free posets 275 (2004) 165–175
 Kharaghani, H. and B. Tayfeh-Rezaie, Some new orthogonal designs in orders 32 and 40 279 (2004) 317–324
 Kilakos, K., see S. Gravier 278 (2004) 61–80
 Kim, H.K., see L. Kang 277 (2004) 295–300
 Kimberling, C., Affinely recursive sets and orderings of languages 274 (2004) 147–159
 Klein, A., On codes meeting the Griesmer bound 274 (2004) 289–297
 Klein, S., see S. Gravier 278 (2004) 61–80
 Klostermeyer, W.F. and G. MacGillivray, Homomorphisms and oriented colorings of equivalence classes of oriented graphs 274 (2004) 161–172
 Kochol, M., Snarks and flow-snarks constructed from coloring-snarks 278 (2004) 165–174
 Kochol, M., Tension-flow polynomials on graphs 274 (2004) 173–185
 Koh, K.M., B.B. Lim and P.J. Slater, H -domination in graphs 272 (2003) 97–105
 Koh, K.M., see F.M. Dong 275 (2004) 311–317
 Koller, A.E. and S.D. Noble, Domination analysis of greedy heuristics for the frequency assignment problem 275 (2004) 331–338
 Kotnyek, B., see G. Appa 275 (2004) 1–15
 Král', D., On maximum face-constrained coloring of plane graphs with no short face cycles 277 (2004) 301–307
 Krob, D., J. Mairesse and I. Michos, Computing the average parallelism in trace monoids 273 (2003) 131–162
 Küçükçifçi, S. and C.C. Lindner, Perfect hexagon triple systems 279 (2004) 325–335
 Küçükçifçi, S., C.C. Lindner and A. Rosa, The metamorphosis of λ -fold block designs with block size four into a maximum packing of λK_n with 4-cycles 278 (2004) 175–193
 Kurosawa, K., see W. Ogata 279 (2004) 383–405
 Kuusik, A., see P. Healy 280 (2004) 51–63
 Kwak, J.H., J. Lee and Y. Shin, Balanced regular coverings of a signed graph and regular branched orientable surface coverings over a non-orientable surface 275 (2004) 177–193
 Kwak, J.H., see R. Feng 277 (2004) 73–85
- Lalonde, P., Lattice paths and the antiautomorphism of the poset of descending plane partitions 271 (2003) 311–319

- Lanphier, D. and J. Rosenhouse, Cheeger constants of Platonic graphs 277 (2004) 101–113
- Lascoux, A., Sylvester's bijection between strict and odd partitions 277 (2004) 275–278
- Laskar, R.C., see P. Erdős 272 (2003) 53–64
- Lau, G.C., see Y.H. Peng 278 (2004) 209–218
- Lazebnik, F. and R. Viglione, On the connectivity of certain graphs of high girth 277 (2004) 309–319
- Le Saëc, B., see N. Bonichon 276 (2004) 43–57
- Leach, C.D. and C.A. Rodger, Hamilton decompositions of complete graphs with a 3-factor leave 279 (2004) 337–344
- Leck, U., On the orthogonal product of simplices and direct products of truncated Boolean lattices 273 (2003) 163–172
- Leclerc, B., see A. Guénoche 276 (2004) 229–248
- Lee, J., see J.H. Kwak 275 (2004) 177–193
- Lei, J., On large sets of Kirkman triple systems and 3-wise balanced design 279 (2004) 345–354
- Leipert, S., see P. Healy 280 (2004) 51–63
- Lemos, M. and J. Oxley, On the minor-minimal 2-connected graphs having a fixed minor 280 (2004) 77–118
- Leuştean, I., see P. Flondor 274 (2004) 41–76
- Li, D., D. Li and J. Mao, On maximum number of edges in a spanning eulerian subgraph 274 (2004) 299–302
- Li, D., see D. Li 274 (2004) 299–302
- Li, H., see H. Enomoto 276 (2004) 177–181
- Li, H., see R. Čada 276 (2004) 65–80
- Li, P.C., see A.C.H. Ling 279 (2004) 355–368
- Li, S., On connected k -domination numbers of graphs 274 (2004) 303–310
- Li, X., V. Neumann-Lara and E. Rivera-Campo, On a tree graph defined by a set of cycles 271 (2003) 303–310
- Lichiardopol, N., Concerning two conjectures on the set of fixed points of a complete rotation of a Cayley digraph 280 (2004) 119–131
- Lim, B.B., see K.M. Koh 272 (2003) 97–105
- Lin, W., Some star extremal circulant graphs 271 (2003) 169–177
- Lin, Y. and A. Yang, On 3-cutwidth critical graphs 275 (2004) 339–346
- Lindner, C.C. and C.A. Rodger, A connection between varieties of quasigroups and graph decompositions 272 (2003) 127–137
- Lindner, C.C., see S. Küçükçifçi 278 (2004) 175–193
- Lindner, C.C., see S. Küçükçifçi 279 (2004) 325–335
- Ling, A.C.H., P.C. Li and G.H.J. van Rees, Splitting systems and separating systems 279 (2004) 355–368
- Ling, A.C.H., see G. Ge 279 (2004) 225–245
- Ling, S., see K. Betsumiya 275 (2004) 43–65
- Liu, G., see Y. Liu 274 (2004) 311–318
- Liu, M.-Q., see K.-T. Fang 279 (2004) 191–202
- Liu, Y. and G. Liu, Number of maximum matchings of bipartite graphs with positive surplus 274 (2004) 311–318
- Lladó, A. and S.C. Lopez, Minimum degree and minimum number of edge-disjoint trees 275 (2004) 195–205
- Lo Faro, G., see Y. Chang 272 (2003) 155–169
- Lobstein, A., see I. Charon 276 (2004) 95–109
- Loebl, M. and J. Vondrák, Towards a theory of frustrated degeneracy 271 (2003) 179–193
- Loebl, M., J. Nešetřil and B. Reed, A note on random homomorphism from arbitrary graphs to \mathbb{Z} 273 (2003) 173–181
- Loehr, N.A., Note on André's reflection principle 280 (2004) 233–236
- Lopez, G., see A. Boussaïri 277 (2004) 29–43
- Lopez, S.C., see A. Lladó 275 (2004) 195–205
- Lou, D. and D. Rao, Graphs with no M -alternating path between two vertices 280 (2004) 237–240
- Lu, Q.-L., On a restricted m -ary partition function 275 (2004) 347–353

Lu, X., see K.-T. Fang	274 (2004)	25–40
Luo, R. and C.-Q. Zhang, Edge coloring of graphs with small average degrees	275 (2004)	207–218
MacGillivray, G., see W.F. Klostermeyer	274 (2004)	161–172
Maenhaut, B., see P. Adams	275 (2004)	289–297
Maffray, F., see S. Gravier	272 (2003)	285–290
Maffray, F., see S. Gravier	276 (2004)	211–218
Mairesse, J., see D. Krob	273 (2003)	131–162
Makarenkov, V., see A. Guénoche	276 (2004)	229–248
Makino, K., see S. Fujishige	280 (2004)	13–27
Malnič, A., D. Marušič and C. Wang, Cubic edge-transitive graphs of order $2p^3$	274 (2004)	187–198
Malnič, A., D. Marušič, P. Potočnik and C. Wang, An infinite family of cubic edge- but not vertex-transitive graphs	280 (2004)	133–148
Mangal, P., see S.K. Gupta	272 (2003)	291–296
Mansilla, S.P. and O. Serra, Automorphism groups of k -arc transitive covers	276 (2004)	273–285
Mao, J., see D. Li	274 (2004)	299–302
Marušič, D., see A. Malnič	274 (2004)	187–198
Marušič, D., see A. Malnič	280 (2004)	133–148
Marušič, D., see T. Pisanski	275 (2004)	265–276
Matsuda, H., Degree conditions for Hamiltonian graphs to have $[a, b]$ -factors containing a given Hamiltonian cycle	280 (2004)	241–250
Matúš, F., Towards classification of semigraphoids	277 (2004)	115–145
Mauduit, C. and A. Sárközy, On the measures of pseudorandomness of binary sequences	271 (2003)	195–207
Maxová, J. and J. Nešetřil, On covers of graphs	276 (2004)	287–294
Mazoit, F., see V. Bouchitté	273 (2003)	85–102
McColm, G.L., On the structure of random unlabelled acyclic graphs	277 (2004)	147–170
McDiarmid, C. and B. Reed, Channel assignment on graphs of bounded treewidth	273 (2003)	183–192
McKay, B.D., E.M. Palmer, R.C. Read and R.W. Robinson, The asymptotic number of claw-free cubic graphs	272 (2003)	107–118
McKee, T.A., Erratum to “Chordal bipartite, strongly chordal, and strongly chordal bipartite graphs” [Discrete Mathematics 260 (2003) 231–238]	272 (2003)	307–307
McMorris, F.R., see R.E. Jamison	272 (2003)	81–95
McRae, A.A., see S.M. Hedetniemi	278 (2004)	81–108
Mendelsohn, E., see G. Quattrocchi	279 (2004)	407–421
Meshulam, R., see E. Boros	276 (2004)	59–64
Meszka, M. and A. Rosa, Embedding Steiner triple systems into Steiner systems $S(2, 4, v)$	274 (2004)	199–212
Metodieva, E., see R. Daskalov	275 (2004)	97–110
Miao, L., S. Pang and J. Wu, An upper bound on the number of edges of edge-coloring critical graphs with high maximum degree	271 (2003)	321–325
Michos, I., see D. Krob	273 (2003)	131–162
Mitchell, L.H., Maximal total absolute displacement of a permutation	274 (2004)	319–321
Monks, K.G. and J. Yazinski, The autoconjugacy of the $3x + 1$ function	275 (2004)	219–236
Mosbah, M., see N. Bonichon	276 (2004)	43–57
Monte Carmelo, E.L., see A. Gonçalves	280 (2004)	29–38
Mulder, H.M., see R.E. Jamison	272 (2003)	81–95
Mullen, G.L., see J.L. Yucas	274 (2004)	265–279
Müller, M. and M. Jimbo, Consecutive positive detectable matrices and group testing for consecutive positives	279 (2004)	369–381
Myers, J.S., The extremal function for unbalanced bipartite minors	271 (2003)	209–222
Mynhardt, C.M., see E.J. Cockayne	276 (2004)	111–125
Nebeský, L., see G. Chartrand	272 (2003)	37–46
Nelson, P. and A.J. Radcliffe, Semi-regular graphs of minimum independence number	275 (2004)	237–263

- Nemenzo, F.R., see K. Betsumiya 275 (2004) 43–65
 Nenov, N.D., On the triangle vertex Folkman numbers 271 (2003) 327–334
 Nešetřil, J., see J. Maxová 276 (2004) 287–294
 Nešetřil, J., see M. DeVos 276 (2004) 161–167
 Nešetřil, J., see M. Loeb 273 (2003) 173–181
 Neumann-Lara, V., see X. Li 271 (2003) 303–310
 Nicoloso, S., Sum coloring and interval graphs: a tight upper bound for the minimum number of colors 280 (2004) 251–257
 Nikiforov, V., see E. Györi 272 (2003) 187–196
 Noble, S.D., see A.E. Koller 275 (2004) 331–338
- Oellermann, O.R., see L. Eroh 277 (2004) 57–72
 Oellermann, O.R., see M.A. Henning 274 (2004) 125–135
 Ogata, W., K. Kurosawa, D.R. Stinson and H. Saido, New combinatorial designs and their applications to authentication codes and secret sharing schemes 279 (2004) 383–405
 Oh, J.-M. and K.-W. Hwang, Construction of one-regular graphs of valency 4 and 6 278 (2004) 195–207
 Omoomi, B. and Y.-H. Peng, Chromatic equivalence classes of certain generalized polygon trees, III 271 (2003) 223–234
 Orbanić, A., see T. Pisanski 275 (2004) 265–276
 Ordaz, O., see C. Delorme 277 (2004) 45–56
 Östergård, P.R.J., see P. Kaski 280 (2004) 65–75
 Oxley, J., see M. Lemos 280 (2004) 77–118
- Paliwal, V., see S.K. Gupta 272 (2003) 291–296
 Palmer, E.M., see B.D. McKay 272 (2003) 107–118
 Pang, S., see L. Miao 271 (2003) 321–325
 Parks, D., see S.M. Hedetniemi 278 (2004) 81–108
 Paul, C., see C. Gavaille 273 (2003) 115–130
 Pêcher, A., Cayley partitionable graphs and near-factorizations of finite groups 276 (2004) 295–311
 Pei, D., see L. Hu 278 (2004) 139–149
 Pelayo, I.M., Comment on “The Steiner number of a graph” by G. Chartrand and P. Zhang [Discrete Mathematics 242 (2002) 41–54] 280 (2004) 259–263
 Peng, Y.H. and G.C. Lau, Chromatic classes of 2-connected $(n, n+4)$ -graphs with at least four triangles 278 (2004) 209–218
 Peng, Y.-H., see B. Omoomi 271 (2003) 223–234
 Pergola, E., see L. Ferrari 271 (2003) 29–50
 Pikhurko, O., Further asymptotic size Ramsey results obtained via linear programming 273 (2003) 193–202
 Pinzani, R., see L. Ferrari 271 (2003) 29–50
 Pippert, R.E., see L.W. Beineke 272 (2003) 17–26
 Pisanski, T., M. Boben, D. Marušič, A. Orbanić and A. Graovac, The 10-cages and derived configurations 275 (2004) 265–276
 Plummer, M.D., see N. Ananchuen 272 (2003) 5–15
 Plummer, M.D., see N. Ananchuen 277 (2004) 1–13
 Potočník, P., see A. Malnič 280 (2004) 133–148
 Preece, D.A., see I. Anderson 279 (2004) 33–60
 Prins, G.C.E., see P. Erdős 272 (2003) 53–64
 Punnen, A.P., see S. Kabadi 271 (2003) 129–139
- Qin, H., see K.-T. Fang 279 (2004) 191–202
 Quattrocchi, G. and E. Mendelsohn, Minimum embedding of balanced P_4 -designs into 5-cycle systems 279 (2004) 407–421

- | | | |
|---|------------|---------|
| Radcliffe, A.J., see P. Nelson | 275 (2004) | 237–263 |
| Raddum, H., On the computation of coset leaders with high Hamming weight | 274 (2004) | 213–231 |
| Raines, M.E., see W. Goddard | 271 (2003) | 61– 70 |
| Ramamurthi, R. and D.B. West, Maximum face-constrained coloring of plane graphs | 274 (2004) | 233–240 |
| Rampon, J.-X., see G.-B. Guenver | 276 (2004) | 249–267 |
| Randerath, B., 3-Colorability and forbidden subgraphs. I: Characterizing pairs | 276 (2004) | 313–325 |
| Rao, D., see D. Lou | 280 (2004) | 237–240 |
| Raspaud, A., see M. DeVos | 276 (2004) | 161–167 |
| Rautenbach, D., A note on trees of maximum weight and restricted degrees | 271 (2003) | 335–342 |
| Read, R.C., see B.D. McKay | 272 (2003) | 107–118 |
| Reading, N., Non-negative cd-coefficients of Gorenstein* posets | 274 (2004) | 323–329 |
| Reed, B., see C. McDiarmid | 273 (2003) | 183–192 |
| Reed, B., see M. Loeb | 273 (2003) | 173–181 |
| Rees, R., see G. Ge | 279 (2004) | 247–265 |
| Remmel, J.B., see J. Haglund | 274 (2004) | 93–108 |
| Ren, L.-Z., see J.-Y. Shao | 279 (2004) | 423–435 |
| Rinaldi, G., see M. Conforti | 277 (2004) | 279–285 |
| Rinaldi, S., see L. Ferrari | 271 (2003) | 29– 50 |
| Rivera-Campo, E., see X. Li | 271 (2003) | 303–310 |
| Robinson, R.W., see B.D. McKay | 272 (2003) | 107–118 |
| Rocco, N.R. and J.S. Rocha, A note on finite semifields and certain p -groups of class 2 | 275 (2004) | 355–362 |
| Rocha, J.S., see N.R. Rocco | 275 (2004) | 355–362 |
| Rodger, C.A., see C.D. Leach | 279 (2004) | 337–344 |
| Rodger, C.A., see C.C. Lindner | 272 (2003) | 127–137 |
| Rojas-Monroy, R., see H. Galeana-Sánchez | 275 (2004) | 129–136 |
| Romov, B.A., Completeness theory for the product of finite partial algebras | 274 (2004) | 241–264 |
| Rosa, A., see M. Meszka | 274 (2004) | 199–212 |
| Rosa, A., see S. Küçükçifçi | 278 (2004) | 175–193 |
| Rosendahl, P., On the identification problems in products of cycles | 275 (2004) | 277–288 |
| Rosenhouse, J., see D. Lanphier | 277 (2004) | 101–113 |
| Rozenberg, G., see A. Ehrenfeucht | 278 (2004) | 45– 60 |
| Rusu, I., see J.L. Fouquet | 276 (2004) | 1– 2 |
| Ryjáček, Z., see R. Čada | 276 (2004) | 65– 80 |
| | | |
| Saido, H., see W. Ogata | 279 (2004) | 383–405 |
| Saito, A. and T. Yamashita, Cycles within specified distance from each vertex | 278 (2004) | 219–226 |
| Šajna, M., see E. Dobson | 278 (2004) | 23– 44 |
| Salazar, G., Infinite families of crossing-critical graphs with given average degree | 271 (2003) | 343–350 |
| Salzman, J., see A. Wierman | 275 (2004) | 367–373 |
| Šámal, R., Antisymmetric flows and strong oriented coloring of planar graphs | 273 (2003) | 203–209 |
| Sárközy, A., see C. Mauduit | 271 (2003) | 195–207 |
| Sarvate, D.G., see M. Greig | 274 (2004) | 77– 92 |
| Schelp, R.H., see E. Győri | 272 (2003) | 187–196 |
| Schröder, B.S.W., More examples on ordered set reconstruction | 280 (2004) | 149–163 |
| Serra, O., see S.P. Mansilla | 276 (2004) | 273–285 |
| Shallit, J., see T. Vasiga | 277 (2004) | 219–240 |
| Shan, E. and L. Kang, A note on balance vertices in trees | 280 (2004) | 265–269 |
| Shao, J.-Y. and L.-Z. Ren, Some properties of matrices with signed null spaces | 279 (2004) | 423–435 |
| Shen, H., R. Su and D. Deng, Existence of incomplete resolvable minimum coverings of pairs by triples | 279 (2004) | 437–462 |
| Shieh, Y.-P., see J. Hsiang | 277 (2004) | 87–100 |
| Shin, Y., see J.H. Kwak | 275 (2004) | 177–193 |

- Shokoufandeh, A. and Y. Zhao, On a tiling conjecture of Komlós for
3-chromatic graphs 277 (2004) 171–191
- Slater, P.J., see K.M. Koh 272 (2003) 97–105
- Slater, P.J., see W. Goddard 271 (2003) 61–70
- Soh, C.A., see F.M. Dong 275 (2004) 311–317
- Sohn, M.Y., see L. Kang 277 (2004) 295–300
- Spinrad, J., see Van Bang Le 280 (2004) 271–274
- Spinrad, J.P., A note on computing graph closures 276 (2004) 327–329
- Stankova, Z. and J. West, Explicit enumeration of 321, hexagon-avoiding
permutations 280 (2004) 165–189
- Steffen, E., Measurements of edge-uncolorability 280 (2004) 191–214
- Stinson, D.R. and R. Wei, Generalized cover-free families 279 (2004) 463–477
- Stinson, D.R., see W. Ogata 279 (2004) 383–405
- Stojaković, M., Limit shape of optimal convex lattice polygons in the sense of
different metrics 271 (2003) 235–249
- Su, R., see H. Shen 279 (2004) 437–462
- Sun, L., A result on Vizing's conjecture 275 (2004) 363–366
- Suzuki, S. and T. Ibaraki, Average running time analysis of an algorithm to
calculate the size of the union of Cartesian products 273 (2003) 211–220
- Świtalski, Z., Half-integrality of vertices of the generalized transitive
tournament polytope ($n = 6$) 271 (2003) 251–260
- Székely, L.A., A successful concept for measuring non-planarity of graphs: the
crossing number 276 (2004) 331–352
- Szigeti, Z., On a min–max theorem on bipartite graphs 276 (2004) 353–361
- Takabatake, T., see S. Fujishige 280 (2004) 13–27
- Tang, Y., see H. Cao 279 (2004) 121–133
- Tang, Y., see K.-T. Fang 274 (2004) 25–40
- Tayfeh-Rezaie, B., see H. Kharaghani 279 (2004) 317–324
- Telle, J.A., see S.M. Hedetniemi 278 (2004) 81–108
- Thomassé, S., see A. Boussaïri 277 (2004) 29–43
- Tian, F., see Y. Chen 271 (2003) 1–12
- Todinca, I., see V. Bouchitté 273 (2003) 85–102
- Travers, B.J., see N.J. Finizio 279 (2004) 215–223
- Vakula, I., see V. Kabanov 276 (2004) 269–272
- Van Bang Le and J. Spinrad, Consequences of an algorithm for bridged graphs 280 (2004) 271–274
- Van Bussel, F., 0-Centred and 0-ubiquitously graceful trees 277 (2004) 193–218
- van den Brink, R. and R.P. Gilles, Ranking by outdegree for directed graphs 271 (2003) 261–270
- Van Maldeghem, H., see E. Govaert 271 (2003) 71–100
- van Rees, G.H.J., see A.C.H. Ling 279 (2004) 355–368
- Vanherpe, J.-M., Clique-width of partner-limited graphs 276 (2004) 363–374
- Varela, M.T., see C. Delorme 277 (2004) 45–56
- Vasiga, T. and J. Shallit, On the iteration of certain quadratic maps over $GF(p)$ 277 (2004) 219–240
- Viglione, R., see F. Lazebnik 277 (2004) 309–319
- Vitray, R.P., see R.C. Brigham 275 (2004) 299–309
- Volkman, L., see A. Hoffmann 278 (2004) 127–138
- Volkman, L., see M. Chellali 274 (2004) 1–8
- Von Korff, J., Classification of greedy subset-sum-distinct-sequences 271 (2003) 271–282
- Vondrák, J., see M. Loebl 271 (2003) 179–193
- Walikar, H.B., F. Buckley and M.K. Itagi, Radius-edge-invariant and
diameter-edge-invariant graphs 272 (2003) 119–126
- Wang, C., see A. Malnič 274 (2004) 187–198
- Wang, C., see A. Malnič 280 (2004) 133–148

- Wang, J. and Z. Zhang, On extensions of Calkin's binomial identities 274 (2004) 331–342
- Wang, J., see G. Ge 272 (2003) 277–283
- Warnaar, S.O., The generalized Borwein conjecture. II. Refined q -trinomial coefficients 272 (2003) 215–258
- Weakley, W.D., Erratum to "Upper bounds for domination numbers of the queen's graph" [Discrete Mathematics 242 (2002) 229–243] 277 (2004) 321–321
- Weaver, N., The Kadison–Singer problem in discrepancy theory 278 (2004) 227–239
- Wei, B., see Y. Chen 271 (2003) 1– 12
- Wei, R., see D.R. Stinson 279 (2004) 463–477
- Wei, R., see F.E. Bennett 279 (2004) 1– 2
- Wei, R., see G. Ge 272 (2003) 277–283
- Wei, R., see G. Ge 279 (2004) 267–276
- West, D.B., Research problems 272 (2003) 301–306
- West, D.B., see M. Chen 275 (2004) 87– 96
- West, D.B., see R. Ramamurthi 274 (2004) 233–240
- West, D.B., see T. Jiang 274 (2004) 137–145
- West, J., see Z. Stankova 280 (2004) 165–189
- Wierman, A., J. Salzman, M. Jablonski and A.P. Godbole, An improved upper bound for the pebbling threshold of the n -path 275 (2004) 367–373
- Wilson, S., A worthy family of semisymmetric graphs 271 (2003) 283–294
- Wilson, S. and A. Breda d'Azevedo, Surfaces having no regular hypermaps 277 (2004) 241–274
- Wojda, A.P., A condition for a graph to contain k -matching 276 (2004) 375–378
- Wolsey, L., see M. Conforti 277 (2004) 279–285
- Wood, D.R., Geometric thickness in a grid 273 (2003) 221–234
- Woodall, D.R., Erratum to "A zero-free interval for chromatic polynomials" [Discrete Mathematics 101 (1992) 333–341] 275 (2004) 385–390
- Wormald, N.C., Analysis of greedy algorithms on graphs with bounded degrees 273 (2003) 235–260
- Woźniak, M., Packing of graphs and permutations—a survey 276 (2004) 379–391
- Wu, D., see K. Chen 279 (2004) 153–161
- Wu, J., see L. Miao 271 (2003) 321–325
- Xiang, Q., see H.D.L. Hollmann 279 (2004) 277–286
- Xie, D. and W. Yang, The total chromatic number of graphs of even order and high degree 271 (2003) 295–302
- Xu, Y. and Y. Chang, On the spectrum of r -self-orthogonal Latin squares 279 (2004) 479–498
- Yamashita, T., see A. Saito 278 (2004) 219–226
- Yang, A., see Y. Lin 275 (2004) 339–346
- Yang, W., see D. Xie 271 (2003) 295–302
- Yao, H., see H. Zhang 276 (2004) 393–404
- Yazinski, J., see K.G. Monks 275 (2004) 219–236
- Yeh, H.-G. and X. Zhu, 4-Colorable 6-regular toroidal graphs 273 (2003) 261–274
- Yin, J., see F.E. Bennett 279 (2004) 1– 2
- Yin, J., see K.-T. Fang 274 (2004) 25– 40
- Yin, J., see Y. Chang 279 (2004) 135–151
- Yucas, J.L. and G.L. Mullen, Irreducible polynomials over GF(2) with prescribed coefficients 274 (2004) 265–279
- Zhang, C.-Q., see R. Luo 275 (2004) 207–218
- Zhang, F., see H. Zhang 276 (2004) 393–404
- Zhang, F., see X. Guo 275 (2004) 151–164
- Zhang, H., F. Zhang and H. Yao, Z-transformation graphs of perfect matchings of plane bipartite graphs 276 (2004) 393–404
- Zhang, P., see G. Chartrand 272 (2003) 37– 46

Zhang, P., see G. Chartrand	272 (2003)	171-185
Zhang, X.-D., Bipartite graphs with small third Laplacian eigenvalue	278 (2004)	241-253
Zhang, Y., see Q. Kang	279 (2004)	287-315
Zhang, Z., see J. Wang	274 (2004)	331-342
Zhang, Z., see H. Feng	277 (2004)	287-294
Zhao, Y., see A. Shokoufandeh	277 (2004)	171-191
Zhu, X., see H.-G. Yeh	273 (2003)	261-274
Zinoviev, V., see T. Hellesteth	274 (2004)	109-124
Zmazek, B., see B. Brešar	272 (2003)	263-268
Zou, H.W., The chromatic uniqueness of certain complete t -partite graphs	275 (2004)	375-383
Zuo, H., see Q. Kang	279 (2004)	287-315